

Claims

1 1. An incontinence article, comprising:

2 a front portion;

3 a rear portion joined to the front portion; and

4 a bumper positioned on at least one of the front portion and the rear

5 portion.

1 2. The article of claim 1, further comprising a front guard extending from the
2 front portion, wherein the bumper is positioned along a top edge of the front
3 guard.

1 3. The article of claim 1, further comprising a back guard extending from the rear
2 portion, wherein the bumper is attached along a top edge of the back guard.

1 4. The article of claim 1, wherein the bumper is positioned along a top edge of the
2 front portion.

1 5. The article of claim 1, wherein the bumper is positioned along a top edge of the
2 rear portion.

1 6. The article of claim 1, wherein the bumper is a block.

1

Number

[illegible]

1
2
3
4
5

1
2

1
2

1
1

1
2
3

G17

8. An incontinence article, comprising:
- a front portion having a front guard extending therefrom;
 - a rear portion having a back guard extending therefrom;
 - a crotch portion between the front portion and the rear portion; and
 - a bumper positioned on at least one of the front guard and the back guard.
9. The article of claim 8, wherein the bumper is positioned along a top edge of the front guard.
10. The article of claim 8, wherein the bumper is positioned along a top edge of the back guard.
11. The article of claim 8, wherein the bumper is a roll.
12. The article of claim 8, wherein the bumper is a block.
13. The article of claim 8, wherein a first bumper is positioned along a top edge of the front guard, and wherein a second bumper is positioned along a top edge of the back guard.

1
2
3
4
5
6

1
2

1
2
3

1
2
3

1

1

617

14. An incontinence article, comprising:
- a front portion;
 - a rear portion having a back guard extending therefrom;
 - a crotch portion between the front portion and the rear portion; and
 - a bumper positioned on at least one of the front portion and the back guard.
15. The article of claim 14, wherein the bumper is positioned along a top edge of the back guard.
16. The article of claim 14, wherein the bumper is positioned along a top edge of the front portion.
17. The article of claim 14, wherein a first bumper is positioned along a top edge of the back guard, and wherein a second bumper is positioned along a top edge of the rear portion.
19. The article of claim 14, wherein the bumper is a roll.
20. The article of claim 14, wherein the bumper is a block.

1 21. An incontinence article, comprising:
2 a front portion having a front guard extending therefrom;
3 a rear portion;
4 a crotch portion between the front portion and the rear portion; and
5 a bumper positioned on at least one of the front guard and the rear portion.

1 22. The article of claim 21, wherein the bumper is positioned along a top edge of
2 the front guard.

1 23. The article of claim 21, wherein the bumper is positioned along a top edge of
2 the rear portion.

1 24. The article of claim 21, wherein a first bumper is positioned along a top edge
2 of the front guard, and wherein a second bumper is positioned along a top edge of
3 the rear portion.

1 25. The article of claim 21, wherein the bumper is a roll.

1 26. The article of claim 21, wherein the bumper is a block.